UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB NO. 1004-0137 Expires: July 31, 2010

DEPARTMENT OF THE 1	5. Lease Serial No.					
BUREAU OF LAND MAN	BUREAU OF LAND MANAGEMENT					
APPLICATION FOR PERMIT TO D	6. If Indian, Allottee or Tribe Name N/A					
la. Type of Work: DRILL	7. If Unit or CA Agreement, Name and No. N/A					
1b. Type of Well: X Gas Well Other	X Single Zone Multiple 2	8. Lease Name and Well No. Cone Hatch 923-25K				
2. Name of Operator		9. API Well No.				
Kerr-McGee Oil & Gas Or	nshore, LP	43-047-40124				
	3b. Phone No. (include area code)	10. Field and Pool, or Exploratory				
P.O. Box 173779 Denver, CO 80217-3779	720.929.6226	Natural Buttes Field				
4. Location of well (Report location clearly and In accord At surface 2206 1807 NE SW Lat. FSL FWL 647016 X 46 At proposed prod. zone N/A 44296094	40.005797 Long109.2776 5.005774 -109.2776 NAD 27					
14. Distance in miles and direction from the nearest town or	r post office*	12. Cou State				
28.4 miles southeast of Ouray, Utah		Uintah Utah				
15. Distance from proposed* location to nearest property or lease line, ft.		17. Spacing Unit dedicated to this well 40				
(Also to nearest drlg. unit line, if any)	10.75					
 18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. 	8 060	20. BLM/ BIA Bond No. on file WYW000291				
21. Elevations (Show whether DF. RT, GR, etc.)	22. Aproximate date work w	Esti				
5309 GR	ASAP	10 days				
	24. Attachments					
The following, completed in accordance with the requirement	nts of Onshore Oil and Gas Order N	No. 1 shall be attached to this form:				
 Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Fores SUPO shall be filed with the appropriate Forest Service 	item 20 above). st System Lan 5. Operator certifica	ecific information and/ or plans as may be required by				
25. Signature	Name (Printed/ Typed) Kevin	McIntyre				
Title Regulatory Analyst		**************************************				
Approved by Signature	Name (Printed/Typed) BRADLEY C	HIII Oalb				
Title	Office ENVIRONMENTAL					


Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly are pullfully to make to any department or agency of the States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Pederal Approval of this Action is Necessary

(Continued on page 2)



Hatch 923-25K NESW Sec. 25, T9S,R23E UINTAH COUNTY, UTAH UTU-80940

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. <u>Estimated Tops of Important Geologic Markers</u>:

<u>Formation</u>	<u>Depth</u>
Uinta	0- Surface
Green River	1287'
Bird's Nest	1583'
Mahogany	1946'
Wasatch	4235'
Mesaverde	6105'
MVU2	6917'
MVL1	7432'
TD	8060'

2. <u>Estimated Depths of Anticipated Water, Oil, Gas, or Mineral Formations</u>:

Substance	Formation	<u>Depth</u>
	Green River	1287'
	Bird's Nest	1583'
	Mahogany	1946'
Gas	Wasatch	4235'
Gas	Mesaverde	6105'
Gas	MVU2	6917'
Gas	MVL1	7432'
Water	N/A	
Other Minerals	N/A	

3. Pressure Control Equipment (Schematic Attached)

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

4. <u>Proposed Casing & Cementing Program:</u>

Please see the Natural Buttes Unit SOP.

5. <u>Drilling Fluids Program</u>:

Please see the Natural Buttes Unit SOP.

6. <u>Evaluation Program:</u>

Please see the Natural Buttes Unit SOP.

7. **Abnormal Conditions:**

Maximum anticipated bottomhole pressure calculated at 8060' TD, approximately equals 4997 psi (calculated at 0.62 psi/foot).

Maximum anticipated surface pressure equals approximately 3224 psi (bottomhole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

8. Anticipated Starting Dates:

Drilling is planned to commence immediately upon approval of this application.


9. <u>Variances:</u>

Please see Natural Buttes Unit SOP.

10. Other Information:

Please see Natural Buttes Unit SOP.

EXHIBIT A



SCHEMATIC DIAGRAM OF 5,000 PSI BOP STACK

Hatch 923-25K NESW Sec. 25,T9S,R23E UINTAH COUNTY, UTAH UTU-80940

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

An onsite inspection was conducted for the Hatch 923-25K on 4/22/2008, for the subject well.

1. Existing Roads:

Refer to the attached location directions.

Refer to Topo Maps A and B for location of access roads within a 2-mile radius.

2. Planned Access Roads:

Approximately 0.2 miles of new access road is proposed. The existing 0.5 miles of 2-track will need to be upgraded. Refer to Topo Map B.

Existence of pipelines; maximum grade; turnouts; major cut and fills, culverts, or bridges; gates, cattle guards, fence cuts, or modifications to existing facilities were determined at the on-site.

The access road was centerline flagged during time of staking.

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

3. <u>Location of Existing Wells Within a 1-Mile Radius:</u>

Please refer to Topo Map C.

4. Location of Existing & Proposed Facilities:

Please see the Natural Buttes Unit SOP.

Approximately 942' of 4" steel pipeline will be installed to Hatch 923-25E. Refer to Topo Map D for the location of the proposed pipelines.

Variances to Best Management Practices (BMPs) Requested:

Approximately 942' of 4" steel pipeline will be installed on surface within the access corridor for the well location. As a Best Management Practice (BMP), the pipeline would be buried within the access road corridor if possible. The construction of pipelines requires the corridor of 30 feet.

This exception to the BMP should be granted by the BLM Authorized Officer because indurated bedrock, such as sandstone, is at or within 2 feet of the surface and the soil has a poor history for successful rehabilitation.

All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) will be excluded. The requested color is Carlsbad Canyon Brown (2.5Y 6/2), a non-reflective earthtone.

Interim Surface Reclamation Plan:

This exception is requested due to the current twin and multi-well program. If determined that this well will not be a candidate for either twinning &/or multi-well the operator shall spread the topsoil pile on the location up to the rig anchor points. The location will be reshaped to the original contour to the extent possible. The operator will reseed the area using the BLM recommended seed mixture and reclamation methods.

5. <u>Location and Type of Water Supply:</u>

Please see the Natural Buttes SOP.

6. Source of Construction Materials:

Please see the Natural Buttes SOP.

7. Methods of Handling Waste Materials:

Please see the Natural Buttes SOP.

A plastic reinforced liner is to be used as discussed during on-site inspection. It will be a minimum of 20 mil thick and felt, with sufficient bedding used to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash or scrap that could puncture the liner will be disposed of in the pit.

Any produced water from the proposed well will be contained in a water tank and will then be hauled by truck to one of the pre-approved disposal sites: RNI, Sec. 5, T9S, R22E, NBU #159, Sec. 35, T9S R21E, Ace Oilfield, Sec. 2, T6S, R20E, MC&MC, Sec. 12, T6S, R19E, Pipeline Facility Sec. 36, T9S, R20E, Goat Pasture Evaporation Pond SW/4 Sec. 16, T10S, R22E, Bonanza Evaporation Pond Sec. 2, T10S, R23E (Request is in lieu of filing Form 3160-5, after initial production).

8. Ancillary Facilities:

Please see the Natural Buttes SOP.

9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

Location size may change prior to the drilling of the well due to the current rig availability. If the proposed location is not large enough to accommodate the drilling rig. The location will be resurveyed and a form 3160-5 will be submitted.

10. Plans for Reclamation of the Surface:

Please see the Natural Buttes SOP.

upon reclamation of the pit the following seed mixture will be used. A total of 12 lbs/acre will be used if the seeds are drilled (24 lbs/acre if the seeds are broadcast). The per acre requirements for *drilled* seed are:

Galleta Grass

12 lbs.

Gardiner Saltbush

12 lbs.

Operator shall call the BLM for the seed mixture when final reclamation occurs.

11. <u>Surface Ownership:</u>

The well pad, access road, pipeline and mineral ownership are listed below:

United States of America Bureau of Land Management 170 South 500 East Vernal, UT 84078 (435)781-4400

12. Stipulations:

Wildlife Stipulations:

Antelope Stipulations:

No construction from May 15 through June 20.

Critical Soils Stipulations:

No construction when wet.

13. Other Information:

A Class III archaeological survey and a paleontological survey have been performed and are attached.

This location is not within 460' from the boundary of the Natural Buttes Unit, nor is it within 460' of any non-committed tract lying within the boundaries of the Unit.

13. <u>Les</u>see's or Operator's Representative & Certification:

Kevin McIntyre Regulatory Analyst Kerr-McGee Oil & Gas Onshore LP P.O. Box 173779 Denver, CO 80217-3779 720.929.6226 Randy Bayne Drilling Manager Kerr-McGee Oil & Gas Onshore LP 1368 South 1200 East Vernal, UT 84078 (435) 781-7018

Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.

Kerr-McGee Oil & Gas Onshore LP is considered to be the operator of the subject well. Kerr-McGee Oil & Gas Onshore LP agrees to be responsible under the terms and conditions of the lease for the operations conducted upon leased lands.

The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by BLM Nationwide Bond #WYB000291.


I hereby certify that I, or persons under my supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions that currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed by the Operator, its contractors, and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

King me	6/6/2008
Kevin McIntyre	Date



KERR-McGEE OIL & GAS ONSHORE LP DRILLING PROGRAM

**		KERR-McGEE OIL & GAS ONSHORE LP					DATE	June 6, 2	June 6, 2008			
		Hatch 923-25K		TI	TD	8,060'	MD/TVD					
FIELD	Natural Butte	es	COUNTY Uint	ah	STATE	Utah		ELEVATION	5,158' GL	KI	B 5,173'	
SURFACE LOCATION		NESW 220	06' FSL & 1807'	FWL Sec. 2	- 5, T 9S R	23E		-		BHL	Straight Hole	
		Latitude:	40.005797	Longitude	: -10	9.277644		NAD 27				
OBJECT	TVE ZONE(S)	Wasatch/N	/lesaverde									
ADDITIONAL INFO Regulatory Agencies: BLM (SURF & MINERALS), UDO				S), UDOG	M. Tri-Co	ounty Health D	ept.					



CASING PROGRAM

							1	ESIGN FACT	ORS
	SIZE	INTER	/AL	WT.	GR.	CPLG.	BURST	COLLAPSE	TENSION
CONDUCTOR	14"	0-40	•						
•		1					3520	2020	453000
SURFACE	9-5/8*	0 to	2,200'	36.00	J-55	LTC	1.19	1.96	6.53
							7780	6350	201000
PRODUCTION	4-1/2"	0 to	8060	11.60	1-80	LTC	2.63	1.34	2.46
		İ							

¹⁾ Max Anticipated Surf. Press.(MASP) (Surface Casing) = (Pore Pressure at next csg point-(0.22 psi/ft-partial evac gradient x TVD of next csg point)

(Burst Assumptions: TD = 11.3 ppg)

.22 psi/ft = gradient for partially evac wellbore

(Collapse Assumption: Fully Evacuated Casing, Max MW)

(Tension Assumptions: Air Weight of Casing*Buoy.Fact. of water)

MASP 3224 psi

CEMENT PROGRAM

				ir as			
		FT OF FILL	DESCRIPTION	SACKS	EXCESS	WEIGHT	YIELD
SURFACE LEAD 500			Premium cmt + 2% CaCl	215	60%	15.60	1.18
Option 1		·	+ .25 pps flocele				
	TOP OUT CMT (1)	250	20 gals sodium silicate + Premium cmt	100		15.60	1.18
			+ 2% CaCl + .25 pps flocele				
	TOP OUT CMT (2)	as required	Premium cmt + 2% CaCl	as req.		15.60	1.18
SURFACE			NOTE: If well will circulate water to surfac	e, option 2	2 will be util	lized	
Option 2	LEAD	2000	Prem cmt + 16% Gel + 10 pps gilsonite	230	35%	11.00	3.82
			+.25 pps Flocele + 3% salt BWOC				in otu ariski sil
	TAIL	500	Premium cmt + 2% CaCl	180	35%	15.60	1.18
TOP OUT CMT a			+ .25 pps flocele				
		as required	Premium cmt + 2% CaCl	as req.		15.60	1.18
PRODUCTIO	N LEAD	3,730'	Premium Lite II + 3% KCl + 0.25 pps	410	60%	11.00	3.38
			celloflake + 5 pps gilsonite + 10% gel				
			+ 0.5% extender				***************************************
	TAIL	4,330'	50/50 Poz/G + 10% salt + 2% gel	1210	60%	14.30	1.31
			+.1% R-3				

^{*}Substitute caliper hole volume plus 0% excess for LEAD if accurate caliper is obtained

FLOAT EQUIPMENT & CENTRALIZERS

SURFACE	Guide shoe, 1 jt, insert float. Centralize first 3 joints with bow spring centralizers. Thread lock guide shoe.				
PRODUCTION	Float shoe, 1 jt, float collar. Centralize first 3 joints & every third joint to top of tail cement with bow				
	spring centralizers.				

ADDITION

ADDITION	AL INFORMATION					
	Test casing head to 750 psi a	ter installing. Test surface casing to 1,500 psi prior to drilling	g out.			
	BOPE: 11" 5M with one annu	ar and 2 rams. Test to 5,000 psi (annular to 2,500 psi) prior	to drilling out. Record on chart recorder &			
	tour sheet. Function test ram	on each trip. Maintain safety valve & inside BOP on rig floo	or at all times. Kelly to be equipped with upper			
& lower kelly vaives.						
	Drop Totco surveys every 200	0'. Maximum allowable hole angle is 5 degrees.				
	Most rigs have PVT Systems	or mud monitoring. If no PVT is available, visual monitoring	will be utilized.			
DRILLING	ENGINEER:		DATE:			
		Brad Laney				
DRILLING	SUPERINTENDENT:		DATE:			

Hatch 923-25K.xls

Randy Bayne

²⁾ MASP (Prod Casing) = Pore Pressure at TD - (.22 psi/ft-partial evac gradient x TD)

^{*}Substitute caliper hole volume plus 10% excess for TAIL if accurate caliper is obtained

Kerr-McGee Oil & Gas Onshore LP HATCH #923-25K SECTION 25, T9S, R23E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 0.3 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 12.3 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 1.7 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST: TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 1.9 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST: TURN RIGHT AND PROCEED IN A SOUTHEASTERLY DIRECTION APPROXIMATLEY 0.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST: TURN LEFT AND PROCEED IN A SOUTHEASTERLY DIRECTION APPROXIMATELY 4.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHEAST; TURN LEFT AND PROCEED IN A NORTHEASTERLY DIRECTION APPROXIMATLEY 3.1 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHEAST; TURN RIGHT AND PROCEED IN A NORTHEASTERLY, THEN EASTERLY DIRECTION APPROXIMATELY 2.4 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST; TURN RIGHT AND PROCEED IN A SOUTHWESTERLY DIRECTION APPROXIMATELY 1.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING TWO TRACK TO THE SOUTHEAST; PROCEED IN A SOUTHEASTERLY DIRECTION APPROXIMATELY 0.5 MILES TO THE BEGINNING OF THE PROPOSED ACCESS FOR THE # 923-25M TO THE SOUTHWEST; FOLLOW ROAD FLAGS IN A SOUTHWESTERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 0.7 MILES TO THE BEGINNING OF THE PROPOSED ACCESS TO THE NORTHEAST; FOLLOW ROAD FLAGS IN A NORTHEASTERLY DIRECTION APPROXIMATELY 0.2 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 60.6 MILES.

Kerr-McGee Oil & Gas Onshore LP

HATCH #923-25K

LOCATED IN UINTAH COUNTY, UTAH SECTION 25, T9S, R23E, S.L.B.&M.



PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: NORTHWESTERLY



PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: NORTHEASTERLY



Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 435-789-1017 uels@uelsinc.com

LOCATION PHOTOS

MONTH DAY YEAR

PHOTO

TAKEN BY: J.R. | DRAWN BY: C.C. | REV: 5-1-08 G.L.

Kerr-McGee Oil & Gas Onshore LP HATCH #923-25K

PIPELINE ALIGNMENT

LOCATED IN UINTAH COUNTY, UTAH SECTION 25, T9S, R23E, S.L.B.&M.



PHOTO: VIEW OF TIE-IN POINT

CAMERA ANGLE: NORTHEASTERLY




PHOTO: VIEW OF PIPELINE ALIGNMENT

CAMERA ANGLE: NORTHEASTERLY




Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 435-789-1017 uels@uelsinc.com


PIPELINE PHOTOS


MONTH DAY YEAR


PHOTO


TAKEN BY: J.R. | DRAWN BY: C.C. | REV: 5-1-08 G.L.

















APD RECEIVED: 06/09/2008	API NO. ASSIGNED: 43-047-40124
WELL NAME: HATCH 923-25K OPERATOR: KERR-MCGEE OIL & GAS (N2995) CONTACT: KEVIN MCINTYRE	PHONE NUMBER: 720-929-6226
PROPOSED LOCATION: NESW 25 090S 230E	INSPECT LOCATN BY: / /
SURFACE: 2206 FSL 1807 FWL BOTTOM: 2206 FSL 1807 FWL	Tech Review Initials Date Engineering
COUNTY: UINTAH LATITUDE: 40.00577 LONGITUDE: -109.2776	Geology
UTM SURF EASTINGS: 647016 NORTHINGS: 44296 FIELD NAME: NATURAL BUTTES (630	
LEASE TYPE: 1 - Federal LEASE NUMBER: UTU-80940 SURFACE OWNER: 1 - Federal	PROPOSED FORMATION: WSMVD COALBED METHANE WELL? NO
RECEIVED AND/OR REVIEWED: Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. WYW000291) Potash (Y/N) Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. 43-8496) RDCC Review (Y/N) (Date:) LWA Fee Surf Agreement (Y/N) Intent to Commingle (Y/N)	LOCATION AND SITING:
COMMENTS:	nate file
STIPULATIONS: 1. Leder (Juprova (





Kerr-McGee Oil & Gas Onshore LP 1099 18 STREET, SUITE 1200 DENVER, CO 80202

June 11, 2008

Mrs. Diana Mason Division of Oil, Gas and Mining P.O. Box 145801 Salt Lake City, UT 84114-6100

RE:

Hatch 923-25K

T9S-23E

Section 25: NESW 2206' FSL, 1807' FWL Uintah County, Utah

Dear Mrs. Mason:

Kerr-McGee Oil & Gas Onshore LP has submitted a permit to drill the captioned well to test the Wasatch and Mesaverde formations. The well is located at an exception location to State Rule 649-3-2 (Statewide). The well location was moved for topographic reasons. Kerr-McGee owns 100% of the leasehold within 460 feet of the exception location of the offset lands and has no objection to the exception location.

Kerr-McGee requests your approval of this exception location. If you have any questions, call me at 720-929-6262. Thank you for your assistance.

Sincerely,

Jasøn Rayburn

Landman

cc: Chris Latimer

PECEIVED
JUN 1 2 2008
DIV. OF OIL, GAS & MINING





MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

June 16, 2008

Kerr-McGee Oil & Gas Onshore, LP P O Box 173779 Denver, CO 80217-3779

Re:

Hatch 923-25K Well, 2206' FSL, 1807' FWL, NE SW, Sec. 25, T. 9 South, R. 23 East, Lintely County, Utels

Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-40124.

Sincerely,

Gil Hunt

Associate Director

Til 84

pab Enclosures

cc:

Uintah County Assessor

Bureau of Land Management, Vernal Office



Operator: Kerr-McGee Oil & Gas Onshore, LP					
Well Name & Number	Hatch 923-25K				
API Number:	43-047-40124				
Lease:	<u>UTU-80940</u>				
Location: NE SW	Sec. 25	T. 9 South	R. 23 East		

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division with 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dustin Doucet at (801) 538-5281 office (801) 733-0983 home

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

	STATE OF UTAH		FORM 9			
	DEPARTMENT OF NATURAL RESOURGE DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80940			
SUNDF	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:					
Do not use this form for proposition bottom-hole depth, reenter plu DRILL form for such proposals.	sals to drill new wells, significantly deepe igged wells, or to drill horizontal laterals.	n existing wells below current Use APPLICATION FOR PERMIT TO	7.UNIT or CA AGREEMENT NAME:			
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: HATCH 923-25K			
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ONS	HORE, L.P.		9. API NUMBER: 43047401240000			
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th S	treet, Suite 600, Denver, CO, 80217 377	PHONE NUMBER: 9 720 929-6587 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2206 FSL 1807 FWL			COUNTY: UINTAH			
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NESW Section: 25	P, RANGE, MERIDIAN: Township: 09.0S Range: 23.0E Meridian	: S	STATE: UTAH			
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT,	OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION				
	ACIDIZE	☐ ALTER CASING	CASING REPAIR			
✓ NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	☐ CHANGE WELL NAME			
6/4/2009	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE			
SUBSEQUENT REPORT	DEEPEN	☐ FRACTURE TREAT	☐ NEW CONSTRUCTION			
Date of Work Completion:	OPERATOR CHANGE	☐ PLUG AND ABANDON	☐ PLUG BACK			
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION			
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON			
	☐ TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL			
☐ DRILLING REPORT	☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	✓ APD EXTENSION			
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:			
12. DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show all pe	ertinent details including dates, depths, v	olumes, etc.			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Kerr-McGee Oil & Gas Onshore, L.P. (Kerr-McGee) respectfully requests an extension to this APD for the maximum time allowed. Please contact the undersigned with any questions and/or comments. Thank you. Approved by the Utah Division of Oil, Gas and Mining						
		D	ate: June 03, 2009			
By: Lagyill						
NAME (PLEASE PRINT)	PHONE NUMBE					
Danielle Piernot	720 929-6156	Regulatory Analyst				
SIGNATURE N/A		DATE 6/1/2009				



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047401240000

API: 43047401240000 Well Name: HATCH 923-25K

Location: 2206 FSL 1807 FWL QTR NESW SEC 25 TWNP 090S RNG 230E MER S

Company Permit Issued to: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Date Original Permit Issued: 6/16/2008

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the requ

informa	tion as submitted	in the previous	ly approved application ome items related to the	ı to drill, rer	nains valid and	l does not
	ated on private la ed? 🕡 Yes 📵		ership changed, if so, l	nas the surf	ace agreement	been
	any wells been dr requirements for		nity of the proposed we	ll which wo	uld affect the s	spacing or
	nere been any uni s proposed well?		ements put in place tha o	t could affe	ct the permittin	ng or operation
	there been any ch the proposed loc		cess route including ov	wnership, or	rightof- way,	which could
• Has ti	ne approved sour	e of water for d	drilling changed? 🗍 🖰	Yes 📵 No		
			to the surface location sed at the onsite evalua			l require a
• Is bor	nding still in place	, which covers t	this proposed well? 🌘	Yes 🗍	Approved ^{No} Utah Divi Oil, Gas an	sion of
nature:	Danielle Piernot	Date:	6/1/2009			
Title:	Regulatory Analys	Representing:	KERR-MCGEE OIL & GAS	ONSHOR PA	<u>te:</u> June 03	, 2009
	3 , - , -			- ,	Miles on	\

Sig

	STATE OF UTAH		FORM 9					
	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80940							
SUNDF	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:							
	sals to drill new wells, significantly deepen ıgged wells, or to drill horizontal laterals. U		7.UNIT or CA AGREEMENT NAME:					
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: HATCH 923-25K					
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ONS	HORE, L.P.		9. API NUMBER: 43047401240000					
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th S	treet, Suite 600, Denver, CO, 80217 3779	PHONE NUMBER: 720 929-6007 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES					
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2206 FSL 1807 FWL			COUNTY: UINTAH					
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NESW Section: 25	(P, RANGE, MERIDIAN: Township: 09.0S Range: 23.0E Meridian:	S	STATE: UTAH					
11. CHE	CK APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPORT,	OR OTHER DATA					
TYPE OF SUBMISSION		TYPE OF ACTION						
	ACIDIZE	ALTER CASING	CASING REPAIR					
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME					
6/17/2010	CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE					
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION					
Date of Work Completion:	OPERATOR CHANGE	☐ PLUG AND ABANDON	PLUG BACK					
	☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION					
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON					
	☐ TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL					
DRILLING REPORT	☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	✓ APD EXTENSION					
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:					
12 DESCRIPE PROPOSED OF CO	OMPLETED OPERATIONS. Clearly show all per		'					
Kerr-McGee Oil & Ga extension to this A	as Onshore, L.P. (Kerr-McGee) PD for the maximum time allo with any questions and/or com	respectfully requests an wed. Please contact the	Approved by the Utah Division of Oil, Gas and Mining					
		D	ate: June 23, 2010					
		_	R nowall					
By: War Hall								
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE						
Danielle Piernot	720 929-6156	Regulatory Analyst						
SIGNATURE N/A		DATE 6/17/2010						



The Utah Division of Oil, Gas, and Mining

- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047401240000

API: 43047401240000 Well Name: HATCH 923-25K

Location: 2206 FSL 1807 FWL QTR NESW SEC 25 TWNP 090S RNG 230E MER S

Company Permit Issued to: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Date Original Permit Issued: 6/16/2008

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that requ

informa uire revi	tion as submitted in sion. Following is a c	the previous hecklist of so	ly approved appliome items related	cation to di I to the app	rill, remain: dication, w	s válid and does hich should be v	not erified.
	ated on private land, ed? () Yes () No		ership changed, i	f so, has th	e surface a	greement been	
	any wells been drille requirements for th			ed well whi	ch would a	ffect the spacin	g or
	nere been any unit o s proposed well?			e that coul	d affect the	e permitting or o	peratio
	there been any chan the proposed location			ing owners	hip, or righ	tof- way, which	could
• Has tl	ne approved source o	of water for d	rilling changed?	Yes 🥡	No		
	there been any phys je in plans from wha						ire a
• Is bo	nding still in place, w	hich covers t	his proposed we	ll? 📵 Yes	i 📗 No [pproved by the land by the lan	of
nature:	Danielle Piernot	Date:	6/17/2010				
Title:	Regulatory Analyst Re	epresenting:	KERR-MCGEE OIL	& GAS ONSH	HOR Date: _	June 23, 2010)
	3 / 1/				. / _	0/13. ~~	

Sig

	STATE OF UTAH		FORM 9					
	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80940							
SUNDF	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:							
	sals to drill new wells, significantly deepen ıgged wells, or to drill horizontal laterals. U		7.UNIT or CA AGREEMENT NAME:					
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: HATCH 923-25K					
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ONS	HORE, L.P.		9. API NUMBER: 43047401240000					
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th S	treet, Suite 600, Denver, CO, 80217 3779	PHONE NUMBER: 720 929-6007 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES					
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2206 FSL 1807 FWL			COUNTY: UINTAH					
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NESW Section: 25	(P, RANGE, MERIDIAN: Township: 09.0S Range: 23.0E Meridian:	S	STATE: UTAH					
11. CHE	CK APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPORT,	OR OTHER DATA					
TYPE OF SUBMISSION		TYPE OF ACTION						
	ACIDIZE	ALTER CASING	CASING REPAIR					
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME					
6/17/2010	CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE					
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION					
Date of Work Completion:	OPERATOR CHANGE	☐ PLUG AND ABANDON	PLUG BACK					
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION					
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON					
	☐ TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL					
DRILLING REPORT	☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	✓ APD EXTENSION					
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:					
12 DESCRIPE PROPOSED OF CO	OMPLETED OPERATIONS. Clearly show all per		'					
Kerr-McGee Oil & Ga extension to this A	as Onshore, L.P. (Kerr-McGee) PD for the maximum time allo with any questions and/or com	respectfully requests an wed. Please contact the	Approved by the Utah Division of Oil, Gas and Mining					
		D	ate: June 23, 2010					
		_	R nowall					
By: War Hall								
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE						
Danielle Piernot	720 929-6156	Regulatory Analyst						
SIGNATURE N/A		DATE 6/17/2010						



The Utah Division of Oil, Gas, and Mining

- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047401240000

API: 43047401240000 Well Name: HATCH 923-25K

Location: 2206 FSL 1807 FWL QTR NESW SEC 25 TWNP 090S RNG 230E MER S

Company Permit Issued to: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Date Original Permit Issued: 6/16/2008

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that requ

informa uire revi	tion as submitted in sion. Following is a c	the previous hecklist of so	ly approved appliome items related	cation to di I to the app	rill, remain: dication, w	s válid and does hich should be v	not erified.
	ated on private land, ed? () Yes () No		ership changed, i	f so, has th	e surface a	greement been	
	any wells been drille requirements for th			ed well whi	ch would a	ffect the spacin	g or
	nere been any unit o s proposed well?			e that coul	d affect the	e permitting or o	peratio
	there been any chan the proposed location			ing owners	hip, or righ	tof- way, which	could
• Has tl	ne approved source o	of water for d	rilling changed?	Yes 🥡	No		
	there been any phys je in plans from wha						ire a
• Is bo	nding still in place, w	hich covers t	his proposed we	ll? 📵 Yes	i 📗 No [pproved by the land by the lan	of
nature:	Danielle Piernot	Date:	6/17/2010				
Title:	Regulatory Analyst Re	epresenting:	KERR-MCGEE OIL	& GAS ONSH	HOR Date: _	June 23, 2010)
	3 / 1/				. / _	0/13. ~~	

Sig

Sundry Number: 15075 API Well Number: 43047401240000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES		FORM 9
	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80940		
SUND	RY NOTICES AND REPORTS OF	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen exisugged wells, or to drill horizontal laterals. Use A		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: HATCH 923-25K
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ONS	HORE, L.P.		9. API NUMBER: 43047401240000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th S	PHONE N Street, Suite 600, Denver, CO, 80217 3779	IUMBER: 720 929-6515 Ex	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2206 FSL 1807 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NESW Section: 25	IP, RANGE, MERIDIAN: Township: 09.0S Range: 23.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE N	IATURE OF NOTICE, REPORT	Γ, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
ACIDIZE		NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL ✓ APD EXTENSION OTHER:	
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE	
Gina Becker SIGNATURE	720 929-6086	Regulatory Analyst II DATE F(12/2011)	
N/A		5/13/2011	

Sundry Number: 15075 API Well Number: 43047401240000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047401240000

API: 43047401240000 **Well Name:** HATCH 923-25K

Location: 2206 FSL 1807 FWL QTR NESW SEC 25 TWNP 090S RNG 230E MER S

Company Permit Issued to: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Date Original Permit Issued: 6/16/2008

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

	ated on private land, has the ted? 📗 Yes 📵 No	e ownership changed, if so, has the su	rface agreement been
	any wells been drilled in the requirements for this locati	e vicinity of the proposed well which wion? () Yes (ii) No	ould affect the spacing or
	here been any unit or other s s proposed well? \(\text{\text{\text{\text{0}}}}\) Yes (agreements put in place that could aff No	ect the permitting or operation
	there been any changes to t the proposed location?	the access route including ownership, Yes No	or rightof- way, which could
• Has tl	he approved source of water	r for drilling changed? 🔵 Yes 🌘 N	lo
		inges to the surface location or access iscussed at the onsite evaluation?	
• Is bo	nding still in place, which co	vers this proposed well? 🌘 Yes 🔘	No
Signature:	Gina Becker	Date: 5/13/2011	

Title: Regulatory Analyst II Representing: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

JUN 2 4 2011

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

Lease Serial No. UTU80940

SUNDRY NOTICES	AND REPORTS ON WELL	S	

abandoned we	II. Use form 3160-3 (APD)	for such pr	pposals	LM	6. If Indian, Allottee of	or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on reverse si				200 5 4 8	7. If Unit or CA/Agre	ement, Name and/or No	
1. Type of Well	1. Type of Well				8. Well Name and No.		
	Oil Well Gas Well Other				HATCH 923-25K		
Name of Operator KERR MCGEE OIL & GAS OF	Contact: GII NSHOREELMail: GINA.BECKE	NA T BECKI R@ANADAR	ER KO.COM		9. API Well No. 43-047-40124-0	00-X1	
3a. Address 3b. Phone No 1368 SOUTH 1200 EAST Ph: 720-92 VERNAL, UT 84078 Fx: 720-929			6086	code)	10. Field and Pool, or NATURAL BUT	10. Field and Pool, or Exploratory NATURAL BUTTES	
4. Location of Well (Footage, Sec., 7	C., R., M., or Survey Description)			· · · · · · · · · · · · · · · · · · ·	11. County or Parish,	and State	
Sec 25 T9S R23E NESW 220	06FSL 1807FWL			*	UINTAH COUN	TY, UT	
12. CHECK APPI	ROPRIATE BOX(ES) TO IN	NDICATE N	ATURE (OF NOTICE	E, REPORT, OR OTHE	R DATA	
TYPE OF SUBMISSION			TYP	E OF ACTIO	ON		
Notice of Intent	☐ Acidize	□ Deepe	n	□ Pro	oduction (Start/Resume)	☐ Water Shut-Of	
_	☐ Alter Casing	□ Fractu	re Treat	□ Re	clamation	☐ Well Integrity	
☐ Subsequent Report	Casing Repair	□ New C	onstruction	n □ Re	complete	Other	
☐ Final Abandonment Notice	☐ Change Plans	□ Plug a			mporarily Abandon	Change to Origina PD	
	Convert to Injection	□ · · □		_	Vater Disposal of any proposed work and approximate duration ther		
Kerr-McGee Oil & Gas Onshorthe maximum time allowed. The 2009. All information remains	ne APD for this location was the same as in the originally	originally ap submitted A	proved by	ension to thi the BLM or	s APD for 1 June 24,		
Please contact the undersigne Thank you.		commente	ECEI\	/ED	VERNAL FIELD OF	FICE	
· · · · · · · · · · · · · · · · · · ·		n	ECEIV	/ LD	ENG RLH 9/20	0/11	
		(CT 07	2011			
CONDITIONS OF APPR	ROVAL ATTACHED				GEOL.		
OCIADILIO140 OL MILL		DIV. O	OIL, GAS	& MINING	E.S	E.	
					P for T.		
14. I hereby certify that the foregoing is	Electronic Submission #1114	424 verified b	y the BLM	Well Inform	ation System		
	For KERR MCGEE OII nitted to AFMSS for processin	ng by ROBIN	R. HANSEN	on 06/28/20	011 (11RRH3099SE)		
Name (Printed/Typed) GINA T BE	ECKER	T	tle REC	BULATORY	ANALYST II		
Signature (Electronic St	ubmission)	D	ate 06/2	4/2011			
	THIS SPACE FOR I	FEDERAL	OR STAT	E OFFICE	USE		
Approved By			As	sistant Field	d Manager I Resources	SEP 3 2011	
Conditions of approval, if any, are attached certify that the approcant holds legal or equi which would entitle the applicant to conductive th	itable title to those rights in the sub	warrant or ject lease	office		NAL FIELD OFFICE		
Title 18 U.S.C. Section 1001 and Title 43 U States any false, fictitious or fraudulent st	J.S.C. Section 1212, make it a crimatements or representations as to an	ne for any perso ny matter withi	n knowingly n its jurisdic	and willfully tion.	to make to any department or	agency of the United	

CONDITIONS OF APPROVAL

Kerr McGee Oil and Gas Onshore LP.

Notice of Intent APD Extension

Lease:

UTU-80940

Well:

Hatch 923-25K

Location:

NESW Sec 25-T9S-R23E

An extension for the referenced APD is granted with the following conditions:

- 1. The extension and APD shall expire on 06/23/2013.
- 2. No other extension shall be granted.

If you have any other questions concerning this matter, please contact Robin L Hansen of this office at (435) 781-2777

Sundry Number: 26502 API Well Number: 43047401240000

			1
	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-80940
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: HATCH 923-25K
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	NSHORE, L.P.		9. API NUMBER: 43047401240000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18t	h Street, Suite 600, Denver, CO, 8021	PHONE NUMBER: 7 3779 720 929-0	9. FIELD and POOL or WILDCAT: 5MATERAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2206 FSL 1807 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESW Section: 25 Township: 09.0S Range: 23.0E Meridian: S			STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
7	ACIDIZE	ALTER CASING	CASING REPAIR
Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
6/16/2012	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
42 DESCRIPE PROPOSED OR	COMPLETED OPERATIONS. Clearly show	all newtinent details including dates	denthe vielumes etc
Kerr-McGee Oil & G an extension to this	Gas Onshore, L.P. (Kerr-McG APD for the maximum time with any questions and/or c	ee) respectfully requests allowed. Please contact	Approved by the Utah Division of Oil, Gas and Mining
			Date: June 07, 2012
			By: bacyll
NAME (PLEASE PRINT)	PHONE NUME		
Jenn Hawkins	720 929-6247	Staff Operations Specialist	III
SIGNATURE N/A		DATE 6/5/2012	

Sundry Number: 26502 API Well Number: 43047401240000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047401240000

API: 43047401240000 **Well Name:** HATCH 923-25K

Location: 2206 FSL 1807 FWL QTR NESW SEC 25 TWNP 090S RNG 230E MER S

Company Permit Issued to: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Date Original Permit Issued: 6/16/2008

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

_				
• If loca Yes	cated on private land, has the owners Mo	hip changed, if so, ha	s the surface agreement b	een updated? 🔵
	e any wells been drilled in the vicinity irements for this location? Yes		l which would affect the sp	pacing or siting
	there been any unit or other agreeme osed well? 🔵 Yes 📵 No	ents put in place that	could affect the permitting	g or operation of this
	e there been any changes to the acce osed location? Yes No	ss route including ow	vnership, or rightof- way, w	hich could affect the
• Has t	the approved source of water for dril	ling changed? 🔵 Y	∕es	
	e there been any physical changes to s from what was discussed at the ons			require a change in
• Is bo	onding still in place, which covers this	s proposed well? 🌘	Yes 🔘 No	
Signature:	Jenn Hawkins	Date: 6/5/2012		

Title: Staff Operations Specialist III Representing: KERR-MCGEE OIL & GAS ONSHORE, L.P.



State of Utah DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER

Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA

Division Director

June 11, 2013

Teena Paulo Kerr-McGee Oil & Gas Onshore, L.P 1099 18TH Street, Suite 600 Denver, CO 80202 43 047 40129 Hatch 923-25K 95 23E 25

Re:

APDs Rescinded for Kerr-McGee Oil & Gas Onshore, L.P

Carbon and Uintah County

Dear Ms. Paulo:

Enclosed find the list of APDs that you requested to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective May 31, 2013.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

Environmental Scientist

cc:

Well File

Bureau of Land Management, Vernal



	40 007 50000	37 1 7 1 7 1 7 1 7 1 7 1 7 1
	43-007-50002	North Bench Fed 43-20
	43-007-50004	North Bench Fed 22-21
	43-007-50005	North Bench Fed 32-21
	43-007-50006	North Bench Fed 43-21
	43-007-50007	North Bench Fed 12-22
	43-007-50001	North Bench Fed 32-20
	43-007-50012	Wellington Fed 23 -20
	43-007-50015	Wellington Fed 32-30
	43-007-50017	Wellington Fed 41-25
	43-047-40120	NBU 920-15FT
\rightarrow	43-047-40124	HATCH 923-25K
	43-047-40144	HATCH 923-14I
	43-047-40145	HATCH 923-25E
	43-047-39370	NBU 922-18I
	43-047-38308	BONANZA 1023-10N3DS

OMB NO. 1004-0137 Expires: July 31, 2010

UNITED STATES DEPARTMENT OF THE INTERIOR

5. Lease Serial No.

BUREAU OF LAND MANAGEMENT UTU-80940	
APPLICATION FOR PERMIT TO DRILL OR REENTER 6. If Indian, Allottee or Tribe Na	ime
N/A	125
1a. Type of Work: DRILL REENTER 7. If Unit or CA Agreement, Nan	ne and No.
8. Lease Name and Well No.	~*x
1b. Type of Well: X Gas Well Other X Single Zone Multiple Zon Hatch 923-23	5K
2. Name of Operator 9. API Well No.	
Kerr-McGee Oil & Gas Onshore, LP 43 047 4012	4
3a. Address 3b. Phone No. (include area code) 10. Field and Pool, or Exploratory	7
P.O. Box 173779 720.929.6226 Natural Buttes Field	
Denver, CO 80217-3779	
4. Location of well (Report location clearly and In accordance with any State requirements.*) 11. Sec., T., R., M., or Blk. and Su	irvey or Area
At surface 2206 1807 NE SW Lat: 40.005797 Long109.277644 FSL FWL Sec. 25 T.05 P.235	
At managed and Jone	
At proposed prod. zone N/A NAD 27	
14. Distance in miles and direction from the nearest town or post office* 12. Cou State	
28.4 miles southeast of Ouray, Utah Uintah Utah	
15. Distance from proposed* 16. No. of acres in lease 17. Spacing Unit dedicated to this well	
location to nearest	
property or lease line, ft. 1280 40	
(Also to nearest drlg. unit line, if any)	
18. Distance from proposed location* to nearest well, drilling, completed, 2000' 19. Proposed Depth 20. BLM/ BIA Bond No. on file	
applied for, on this lease, ft. 8,060 WYW000291	
Esti	
21. Elevations (Show whether DF. RT, GR, etc.) 22. Approximate date work will start mat	RECEIV
5309 GR ASAP 10 days	
24. Attachments	JUN 2 9
The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1 shall be attached to this form:	
, , , , , , , , , , , , , , , , , , , ,	DIV. OF OIL, GAS
1. Well plat certified by a registered surveyor. 4. Bond to cover the operations unless covered by existing to	bond on file(se
2. A Drilling Plan. item 20 above).	
3. A Surface Use Plan (if the location is on National Forest System Lan 5. Operator certification.	
SUPO shall be filed with the appropriate Forest Service Office). 6. Such other site specific information and/ or plans as may	be required by
authorized officer.	200
25. Signature Name (Printed/ Typed) Kevin McIntyre	
Til Deslate Andrew	
Title Regulatory Analyst	Z Žz
Approved By (Signature) Name (Printed/ Typed) Test Karrels	N 44 遊戲
Title Assistant Field Manager Office VERNAL FIELD OFFICE	
Lands & Mineral Resources	<u> </u>

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would applicant to applicant to the applicant to those rights in the subject lease which would applicant to the applica conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)



* (Instructions on page 2)

& MINING



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE

VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company:

Kerr McGee Oil & Gas Onshore LP

Location:

NESW, Sec. 25, T9S, R23E

Well No:

Hatch 923-25K

Lease No:

UTU-80940

API No:

43-047-40124

Agreement:

N/A

Title	Name	Office Phone Number	Cell Phone Number
Petroleum Engineer	Michael Lee	(435) 781-4432	(435) 828-7875
Petroleum Engineer	Ryan Angus	(435) 781-4430	(435) 828-7368
Supervisory Petroleum Technician:	Jamie Sparger	(435) 781-4502	(435) 828-3913
Supervisory NRS	Karl Wright	(435) 781-4484	
NRS/Enviro Scientist	Christine Cimiluca	(435) 781-4475	
NRS/Enviro Scientist	Dan Emmett	(435) 781-3414	(435) 828-4029
NRS/Enviro Scientist	Anna Figueroa	(435) 781-3407	(435) 828-3548
NRS/Enviro Scientist	Lori Ford	(435) 781-4406	
NRS/Enviro Scientist	David Gordon	(435) 781-4424	
NRS/Enviro Scientist	James Hereford	(435) 781-3412	(435) 828-3546
NRS/Enviro Scientist	Chuck Macdonald	435) 781-4441	(435) 828-7481
NRS/Enviro Scientist	Nathan Packer	(435) 781-3405	(435) 828-3545
NRS/Enviro Scientist	Paul Percival	(435) 781-4493	(435) 828-7381
NRS/Enviro Scientist	Verlyn Pindell	(435) 781-3402	(435) 828-3547
NRS/Enviro Scientist	Holly Villa	(435) 781-4404	(435) 828-3544
	<u> </u>	Fax: (435) 781-3420	

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

	<u> Jinic</u>	T T T T T T T T T T T T T T T T T T T
Location Construction	-	Forty-Eight (48) hours prior to construction of location and
(Notify Environmental Scientist)		access roads.
Location Completion	-	Prior to moving on the drilling rig.
(Notify Environmental Scientist)		
Spud Notice	-	Twenty-Four (24) hours prior to spudding the well.
(Notify Petroleum Engineer)		
Casing String & Cementing	-	Twenty-Four (24) hours prior to running casing and cementing
(Notify Supv. Petroleum Tech.)		all casing strings.
BOP & Related Equipment Tests	-	Twenty-Four (24) hours prior to initiating pressure tests.
(Notify Supv. Petroleum Tech.)		
First Production Notice	-	Within Five (5) business days after new well begins or
(Notify Petroleum Engineer)		production resumes after well has been off production for more
		than ninety (90) days.

Page 2 of 8 Well: Hatch 923-25K 6/16/2009

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

- All new and replacement internal combustion gas field engines of less than or equal to 300 design-rated horsepower must not emit more than 2 gms of NO_x per horsepower-hour. This requirement does not apply to gas field engines of less than or equal to 40 design-rated horsepower.
- All and replacement internal combustion gas field engines of greater than 300 design rated horsepower must not emit more than 1.0 gms of NO_x per horsepower-hour.
- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop work and contact the Authorized Officer (AO). A determination will be made by the AO as to what mitigation may be necessary for the discovered paleontologic material before construction can continue.

SITE SPECIFIC COAs:

- Surface Conditions of Approval or monitoring are listed in the Surface Use Plan of the APDs.
- A letter of concurrence/coordination with Uintah County will be required to upgrade the 0.8 mile of Uintah County class D road and to place the pipeline next to the Uintah County road. This letter will be provided to the BLM prior to any construction.
- An Interim Surface Reclamation Plan for surface disturbance on the well pad, access road, and pipeline will be completed. At a minimum, this will include the Best Management Practice of the reshaping of the pad to the original contour to the extent possible; the re-spreading of the top soil up to the rig anchor points; and, reseeding the area using appropriate reclamation methods. The areas of the location not needed for production operations, including portions of the pad and the reserve pits, will have the stock piled top soil spread evenly over the reclaimed surface, and be seeded with the recommended seed mix shown below. If it is determined that this well site will be used as a multi-well site the interim reclamation will be delayed until all wells are constructed at the site.

Interim Reclamation seed mix

Agropyron cristatum	3 lbs. /acre
Stipa comat	3 lbs. /acre
Spaeralcea coccinea	1 lbs. /acre
Atriplex confertifolia	2 lbs. /acre
Atriplex canescens	3 lbs. /acre
	Stipa comat Spaeralcea coccinea Atriplex confertifolia

Page 3 of 8 Well: Hatch 923-25K 6/16/2009

• Following well plugging and abandonment, the location, access roads, pipelines, and other facilities shall be reclaimed. All disturbed surfaces shall be reshaped to approximate the original contour; the top soil re-spread over the surface; and, the surface re-vegetated. The surface of approved staging areas where construction activities did not occur may require disking or ripping and reseeding.

Page 4 of 8 Well: Hatch 923-25K 6/16/2009

DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

SITE SPECIFIC DOWNHOLE COAs:

- A copy of Kerr McGee's Standard Operating Practices (dated 7/17/08 and approved 7/28/08) shall be on location.
- Kerr McGee and their contractors shall strictly adhere to all operating practices in the SOP along with all Oil and Gas rules and requirements listed in the Code of Federal Regulations and all Federal Onshore Oil and Gas Orders except where variances have been granted.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and **NOT** by the rig pumps. Test shall be reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.

Page 5 of 8 Well: Hatch 923-25K 6/16/2009

- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.
- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the <u>top of cement</u> and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

Page 6 of 8 Well: Hatch 923-25K 6/16/2009

OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Should the well be successfully completed for production, the BLM Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
 - Operator name, address, and telephone number.
 - o Well name and number.
 - O Well location (1/41/4, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - o The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - O Unit agreement and/or participating area name and number, if applicable.
 - o Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.

Page 7 of 8 Well: Hatch 923-25K 6/16/2009

- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.
- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior
 approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30
 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given
 before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.

Page 8 of 8 Well: Hatch 923-25K 6/16/2009

• Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.